Bayside

TECHNICAL SPECIFICATIONS

Country of Origin:	Australia
Yarn:	100% Solution Dyed Nylon
Gauge:	31.5/10cm (1/8th Gauge)
Pile Height:	8.5 (+/- 1.0)mm
Backing:	EnduraBac®
Type:	Residential Broadloom
Pattern Repeat:	Not Applicable

Colours:	12 Standard
Surface Texture:	Cut Pile Twist
Total Product Thickness:	10.5 (+/- 1.0)mm
Pile Weight:	1085.00 g/m² (32 oz)
Installation Method:	Conventionally Laid
Roll Width:	3.66m

PERFORMANCE

ACCS Rating:	Residential Extra Heavy Duty & Stairs - 5 Star, Contract Medium Duty - 2 Star
Contract Guarantee:	5 Year Contract Guarantee Available on Request*

SUSTAINABILITY

Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4+ - Certificate #22195
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.

Australian Made

Declare® Red List Free

PVC Free

Residential Extra Heavy Duty & Stairs - 5 Star

Contract Medium Duty - 2 Star

ECS Level 4+

Green Building Council

ISO 9001 Quality Management System

ISO 14001 Environment Management System

AS 4801

Cut Pile Twist

Affordable

Declare

Bayside


COMMERCIAL



507
Ivory Coast



510
Beach Shell



520
Canvas Wash



580
Cork



585
Tumbleweed



705
Ghost Grey



736
Overcast



740
Mist



745
Cloud



746
Blue Fox



750
Pewter



780
Granite

Bayside

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.