

## TECHNICAL SPECIFICATIONS

Colours:	8 Standard	Total Product Thickness:	8mm
Backing:	Balancing Layer	Hard Flooring Size:	240mm x 2050mm
Installation Method:	Uniclic®	Type:	Laminate Flooring
Units Per Box:	5 boards	m <sup>2</sup> per box:	2.46
m <sup>2</sup> per pallet:	127.92	Finish:	Matte
Surface:	Embossed	Profile:	4 Sided Bevel
Substrate Layer:	860kg/m <sup>3</sup> High Density Fibreboard	Quickship AU:	Nora Oak, Northern Oak, Cosmo Oak, Highland Oak, Fall Oak, Pine Oak, Otway Oak

## PERFORMANCE

Flammability:	(EN ISO 9239) CRF 11kW/m <sup>2</sup>
Contract Guarantee:	Available on request*
Smoke Value:	(EN ISO 9239) 4% minutes
Abrasion Rating:	(EN 13329) AC4
Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Slip Resistance:	(AS/NZ 4586-2013) P3
Recommended Adhesive:	Refer to our GH Commercial Adhesive Guide <a href="http://www.ghcommercial.com">www.ghcommercial.com</a>

## SUSTAINABILITY

Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.



Green Building Council



ISO 9001 Quality Management System



ISO 14001 Environment Management System



Matte Finish



Mid Range




Waterproof Surface



Water Resistant


# Belle Grande




120  
Nora Oak



185  
Walnut Oak




190  
Northern Oak




325  
Cosmo Oak




355  
Highland Oak



525  
Fall Oak



545  
Pine Oak



735  
Otway Oak

# Belle Grande



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst laminate products must be installed in accordance with the relevant Australian Standards and in conjunction with the Godfrey Hirst Laminate Installation Instructions.

\*Terms and conditions apply to all commercial warranties - please contact your GH Commercial Account Manager.