

TECHNICAL SPECIFICATIONS

Country of Origin:	Australia	Colours:	8 Standard
Yarn:	100% Solution Dyed Nylon	Surface Texture:	Patterned Textured Loop Pile
Gauge:	25.2/10cm (5/32nd Gauge)	Total Product Thickness:	9.5 (+/- 1.0)mm
Pile Height:	7.5 (+/- 1.0)mm	Pile Weight:	1085.00g/m ² (32oz)
Backing:	EnduraBac®	Installation Method:	Conventionally Laid
Type:	Residential Broadloom	Roll Width:	3.66
Pattern Repeat:	1.5cm (w) x 3.0cm (l)		

PERFORMANCE

Anti-Static:	(AATCC 134) $\leq 3.5KV$ at 21°C & 20% Relative Humidity
Flammability:	CRF 3.2Kw/m ² (Conventionally Laid)~
Light Reflectance:	Available on Request
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star
Contract Warranty:	5 Year Contract Guarantee Available on Request*
Smoke Value:	241% minutes (Conventionally Laid)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4 Maximum Points - Certificate #19147
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.



Australian Made



PVC Free



Residential Extra Heavy Duty & Stairs - 6 Star



Contract Medium Duty - 2 Star



ECS Level 4



Green Building Council



ISO 9001 Quality Management System




ISO 14001 Environment Management System



AS 4801



Patterned Textured Loop Pile



Affordable



Declare

Casablanca




Declare® Red List Free

Casablanca




1
White Tower




11
Atlantic



12
Port Said




13
Morocco



90
Medina



91
Corniche



95
Sultan



98
Rabat

Casablanca



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Installation Instructions. ~Test results and certificates are available on request. *This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the warranty, please contact your GH Commercial Account Manager or our Head Office.