# Chateau Oak

## TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Country of Origin: | Indonesia |
| Total Product Thickness: | 14.2mm |
| Hard Flooring Size: | 190mm x 1820mm |
| Notes: | As this is a natural product, some boxes may include 'nested' boards (i.e. two boards comprising of the quoted board length). All boxes will provide the coverage quoted. |
| Wear Layer: | 3.2mm |
| $m^2$ per box: | 2.075 |
| Finish: | Matte |
| Profile: | Micro Bevel Edge |
| Protective Coating: | UV Cured Lacquer |

| | |
|---|---|
| Colours: | 9 Standard |
| Backing: | Ply |
| Installation Method: | 5G Insta Clic® |
| Type: | Timber Flooring |
| Units Per Box: | 6 boards equivalent (32% Nested/Random lengths) |
| $m^2$ per pallet: | 114.12 |
| Surface: | European Oak Veneer (3.2mm) |
| Substrate Layer: | Cross Laminated Oak |

## PERFORMANCE

| | |
|---|---|
| Flammability: | (EN ISO 9239) CRF 6.9kW/m2 |
| Light Reflectance: | Available on request |
| Contract Guarantee: | Available on request* |
| Smoke Value: | (EN ISO 9239) 15% minutes |
| Dimensional Stability: | -0.05 Length direction/Machine Direction, -0.10 Width Direction/Across Machine direction, 1.5mm Curling |
| Sound Reduction: | Please refer to Godfrey Hirst Acoustic Performance specification sheet |
| Slip Resistance: | (AS 4586 - 2013) P3 |
| Recommended Adhesive: | Refer to our GH Commercial Adhesive Guide www.ghcommercial.com |
| Moisture Content: | (EN 131831-1) 8-11% (+/-2%) at time of delivery |
| Lipping: | (EN13489) ≤0.2mm |

## SUSTAINABILITY

| | |
|---|---|
| Indoor Air Quality: | Green Building Council compliant for VOC emission rate limits |
| Product Transparency: | PEFC Chain of Custody certified., PEFC Chain of Custody certified. |
| Accreditation: | Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body. |

Real Timber Surface

Natural Variation

Micro Bevel Edge

Green Building Council

Premium

PEFC CoC Certified

General Enquiries: 1300 300 821
ghcommercial.com

# Chateau Oak

General Enquiries: 1300 300 821
ghcommercial.com

# Chateau Oak



120
Sienna Oak



170
Chestnut Oak



180
Scarlett Oak



500
Alpine Oak



510
Summer Blonde



515
Willow Oak



520
Autumn Amber



565
Elm Oak



740
Bur Oak

General Enquiries: 1300 300 821
ghcommercial.com

# Chateau Oak

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst engineered timber floors must be installed in accordance with the relevant Australian Standards and in conjunction with the Godfrey Hirst Timber Floors Installation Instructions.

*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.

 Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.

^ Nested/Random lengths may occur. As this is a natural products, some boxes may include one 'nested' board (i.e. two boards comprising of the quoted board length). All boxes will provide the coverage quoted.