Deco Opulence

TECHNICAL SPECIFICATIONS

Country of Origin:	China
Yarn:	80% Wool / 20% Nylon
Total Product Thickness:	10 (+/- 1.0)mm
Pile Weight:	1290.00 g/m² (38 oz)
Installation Method:	Dual Bond Recommended
Type:	Woven Carpet
Pattern Repeat:	Width: 365.76cm Length: 508cm (Half-drop)

Colours:	13 Standard
Surface Texture:	Patterned Cut Pile
Pile Height:	7 (+/- 1.0)mm
Backing:	Polypropylene Weft
Notes:	Available in 4 qualities - 34oz, 38oz 42oz and 48oz. Fast Track® minimum order quantity applies = 27lm (100m2)
Roll Width:	3.66m
Pitch & Beat Up:	Pitch: 27.6/10 (7/inch) Beat Up: 31.5/10cm (8/inch)

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	CRF 4.5kW/m² (Dual Bond)#
Colourfast to light:	(ISO 105-B-02-1994) 5-6
Light Reflectance:	Available on Request
Stain Resistance:	Natural Wool Fibre Stain Resistance
ACCS Rating:	Contract Heavy Duty - 3 Star
Contract Warranty:	7 Year Contract Guarantee Available on Request*
Smoke Value:	750% minutes (Dual Bond)
Recommended Adhesive:	Refer to the GH Commercial Carpet Installation Instructions

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Green Star:	Environmental Certification Scheme (ECS). Level 4
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.

Contract Heavy Duty - 3 Star

ECS Level 4

Green Building Council

ISO 9001 Quality Management System

ISO 14001 Environment Management System

PVC Free

Wool Blend

Patterned Cut Pile

Premium

Deco Opulence

COMMERCIAL


Feltex

General Enquiries: 1300 300 821
ghcommercial.com

Deco Opulence



WEB-2026-0219A



WEB-2026-0220A



WEB-2026-0221A




WEB-2026-0222A



WEB-2026-0223A




WEB-2026-0224A




WEB-2026-0225A




WEB-2026-0226A



WEB-2026-0227A




WEB-2026-0228A



WEB-2026-0229A



WEB-2026-0230A



WEB-2026-0231A

General Enquiries: 1300 300 821
ghcommercial.com

Deco Opulence

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial Woven Carpets must be installed in accordance with the latest AS2455 and the GH Commercial Carpet Installation Instructions.
~Test results and certificates are available on request.
*This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the warranty please contact your GH Commercial Account Manager or our Head Office.