

TECHNICAL SPECIFICATIONS

Country of Origin:	New Zealand	Colours:	10 Standard
Yarn:	100% Wool	Surface Texture:	Cut Pile Twist
Gauge:	31.5/10cm (1/8th Gauge)	Total Product Thickness:	13.5 (+/- 1)mm
Pile Height:	10.5 (+/- 1)mm	Pile Weight:	1290.00g/m ² (38oz)
Backing:	Jute	Installation Method:	Conventionally Laid
Type:	Residential Broadloom	Roll Width:	3.66
Pattern Repeat:	Not Applicable		

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	CRF 7.2kW/m ² (Conventionally Laid)~
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 5 Star, Contract Medium Duty - 2 Star
Contract Guarantee:	5 Year Contract Guarantee Available on Request*
Smoke Value:	67% minutes (Conventionally Laid)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4 - Certificate #25062
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.



Made in New Zealand



Declare



Declare® Red List Free



PVC Free



Residential Extra Heavy Duty & Stairs - 5 Star



Contract Medium Duty - 2 Star



ECS Level 4



Green Building Council



ISO 14001 Environment Management System



Wool



Cut Pile Twist



Mid Range

Enchant




525
Raw Cotton



550
Almond Beige



565
Puddle




576
Dusty Plain




580
Woodland




740
Pelaco



749
Stonewashed



760
Concrete



890
Midnight Blue



905
Greywacke

Enchant



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst carpets must be installed in accordance with the latest AS2455 and any relevant Godfrey Hirst Installation Instructions. ~Test results and certificates are available on request.

*This product comes with a manufacturer's guarantee for new carpet installed indoors in owner occupied premises, if properly installed and maintained. This guarantee is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this Guarantee. The amount recoverable under the guarantee decreases five years. For full information in respect to the scope and limitations of this guarantee, please refer to the full terms and conditions available from your retailer, by calling 1300 444 778, or by downloading from www.godfreyhirst.com.