

Field of View Dark



TECHNICAL SPECIFICATIONS

Country of Origin:	Australia	Colours:	9 Standard
Yarn:	Duracolor® Tricor Solution Dyed Nylon	Surface Texture:	Textured Multi Coloured Loop Pile
Gauge:	47/10cm (1/12th Gauge)	Total Product Thickness:	6.5 (+/- 1.0)mm
Pile Height:	4 (+/- 1.0)mm	Pile Weight:	610.00g/m ² (18oz)
Backing:	Enviro Bac®	Carpet Tiles & Planks Size:	304.8mm x 914.4mm
Installation Method:	Half-Lap, Brick Ashlar, Random, Herringbone	Type:	Carpet Tiles and Planks
Units Per Box:	18.00	m ² per box:	5.017
m ² per pallet:	135.46	Pattern Repeat:	Not Applicable
Quickship AU:	Indigo Dark, Verdigris Dark, Nuance Dark, Ferro Dark, Silhouette Dark, Cinematic Dark		

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	Meets the requirements of NCC Spec. C1.10 relating to fire hazard properties for flooring in Class 2-9 buildings~
Light Reflectance:	Available on Request
Stain Resistance:	Duracolor® Tricor - Permanent, Built into fibre
ACCS Rating:	Contract Heavy Duty - 3 Star
Contract Guarantee:	15 Years Available on Request*
Recommended Adhesive:	Refer to our GH Commercial Adhesive Guide www.ghcommercial.com
Soil Resistance:	EcoSentry Soil Treatment

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Environmental Product Declaration:	Environmental Product Declaration in accordance with ISO 14025 and EN 15804+A2
Green Star:	Environmental Certification Scheme (ECS) Level 4 - Certificate #21253
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.



Duracolor® TriCor SDN SDN Carpet Tiles and Planks on Enviro Bac and Enviro Bac Plus

PVC Free

Green Building Council

ISO 9001 Quality Management System

ISO 14001 Environment Management System

Field of View Dark



AS 4801



Contract Heavy Duty - 3 Star



ECS Level 4



Declare® Red List Free



Textured Loop Pile



Mid Range




SDN Carpet Tiles with Enviro Bac®


Field of View Dark



282
Fresco Dark




585
Indigo Dark



696
Verdigris Dark




868
Nuance Dark




957
Ferro Dark



959
Moonlit Dark



979
Silhouette Dark



987
Cinematic Dark



988
Undertone Dark

Field of View Dark



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpet tiles and planks must be installed in accordance with AS2455 Parts 1 & 2 (latest version) and the GH Commercial Carpet Tile/Plank Installation Instructions. Chair pads are recommended under office chairs with roller castors to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling. ~Test results and certificates are available on request.

*Guarantee is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee please contact your GH Commercial Account Manager or our Head Office.