

## TECHNICAL SPECIFICATIONS

|                    |                          |                          |                               |
|--------------------|--------------------------|--------------------------|-------------------------------|
| Country of Origin: | Australia                | Colours:                 | 7 Standard                    |
| Yarn:              | 100% Nylon               | Surface Texture:         | Patterned Cut Pile            |
| Gauge:             | 47.2/10cm (1/12th Gauge) | Total Product Thickness: | 7 (+/- 1.0)mm                 |
| Pile Height:       | 4.5 (+/- 1.0)mm          | Pile Weight:             | 576.00g/m <sup>2</sup> (17oz) |
| Backing:           | Action Bac®              | Installation Method:     | Direct Stick Recommended      |
| Type:              | Commercial Broadloom     | Roll Width:              | 1.96                          |
| Pattern Repeat:    | 1.96m (W) x 3.07m (L)    |                          |                               |

## PERFORMANCE

|                         |                                                                                                                   |
|-------------------------|-------------------------------------------------------------------------------------------------------------------|
| Anti-Static:            | (AATCC 134) <3.5KV at 21°C & 20% Relative Humidity                                                                |
| Flammability:           | Meets the requirements of NCC Spec. C1.10 relating to fire hazard properties for flooring in Class 2-9 buildings~ |
| Colourfast to light:    | (ISO 105-B-02-1994) 5-6                                                                                           |
| Light Reflectance:      | Available on Request                                                                                              |
| Stain Resistance:       | Stain Warden®                                                                                                     |
| Biocontaminant Control: | Bioshield® Antimicrobial Control                                                                                  |
| ACCS Rating:            | Contract Extra Heavy Duty - 4 Star                                                                                |
| Contract Guarantee:     | 10 Years available on request*                                                                                    |
| Recommended Adhesive:   | Refer to our GH Commercial Adhesive Guide <a href="http://www.ghcommercial.com">www.ghcommercial.com</a>          |

## SUSTAINABILITY

|                       |                                                                                                                                                                             |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PVC Minimisation:     | PVC Free                                                                                                                                                                    |
| Indoor Air Quality:   | Green Building Council Compliant for VOC emission rate limits                                                                                                               |
| Product Transparency: | Declare Red List Free                                                                                                                                                       |
| Green Star:           | Environmental Certification Scheme (ECS) Level 4                                                                                                                            |
| Accreditation:        | Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies. |

## AVAILABILITY

Backing Options: Quick Comfort® cushion backing



Australian Made

Declare.

Designer Jet Sheet on  
Action Bac



PVC Free



BPA Free



Phthalate Free



Contract Extra Heavy Duty  
- 4 Star

# Hazy Fields



ECS Level 4



Green Building Council



ISO 9001 Quality Management System



ISO 14001 Environment Management System



AS 4801

Designer Jet®

Designer Jet



Patterned Cut Pile



Mid Range



Declare® Red List Free


# Hazy Fields



2021 20



2021 20 B



2021 20 C



2021 20 D



2021 20 E



2021 20 F



2021 20 H

# Hazy Fields



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Carpet Installation Instructions.  
Chair pads are recommended under office chairs with roller castors to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.  
~Test results and certificates are available on request.

\*This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee please contact your GH Commercial Account Manager or our Head Office.