

TECHNICAL SPECIFICATIONS

Colours:	12 Standard	Total Product Thickness:	12mm
Backing:	Balancing Layer	Hard Flooring Size:	196mm x 1500mm
Installation Method:	Uniclic®	Type:	Laminate Flooring
Units Per Box:	6 boards	m ² per box:	1.764
m ² per pallet:	114.66	Finish:	Matte
Surface:	Embossed in Register on Selected Colours	Profile:	4 Sided Bevel
Substrate Layer:	860kg/m3 High Density Fibreboard		

PERFORMANCE

Flammability:	(EN ISO 9239) CRF 9.0kW/m2
Contract Guarantee:	Available on request*
Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Slip Resistance:	(AS 4586 - 2013) P3
Recommended Adhesive:	Refer to our GH Commercial Adhesive Guide www.ghcommercial.com

SUSTAINABILITY

Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.



Matte Finish



Celebrating Australian Species



Water Resistant

Legacy Luxe



120
Nora Oak




190
Northern Oak



300
Natural Oak



325
Cosmo Oak



355
Highland Oak




500
Sand Oak




520
Flax Oak



525
Shoreline Blackbutt



545
Bayside Blackbutt



575
Smoked Oak



585
Mallee Gum



735
Otway Oak

Legacy Luxe



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst laminate products must be installed in accordance with the relevant Australian Standards and in conjunction with the Godfrey Hirst Laminate Installation Instructions.

*Terms and conditions apply to all commercial warranties - please contact your GH Commercial Account Manager.