

# Metropol 1200



## TECHNICAL SPECIFICATIONS

Colours:	12 Standard	Total Product Thickness:	6mm
Backing:	1.5mm Acoustic Backing	Size:	182mm x 1200mm
Installation Method:	Uniclic®	Type:	Hybrid Flooring
Wear Layer:	0.3mm	Units Per Box:	10 boards
m <sup>2</sup> per box:	2.184	m <sup>2</sup> per pallet:	120.12
Finish:	Matte	Surface:	Embossed
Profile:	Micro Bevel	Substrate Layer:	Trigon® Core Technology (Limestone Composite)
Top Layer:	Decorative Film & Wear Layer	Protective Coating:	PUR
Quickship AU:	Mountain Hardwood, Natural Hardwood, Golden Oak, Southern Oak, Sand Oak, Northern Weathered Gum, Summer Blackbutt, Southern Weathered Gum, High Country Hardwood, Coastal Hardwood, Sun Bleached Hardwood	Quickship QLD:	Mountain Hardwood, Golden Oak, Southern Oak, Sand Oak, Southern Weathered Gum, High Country Hardwood, Sun Bleached Hardwood
Quickship WA:	Mountain Hardwood, Natural Hardwood, Golden Oak, Southern Oak, Sand Oak, Northern Weathered Gum, Summer Blackbutt, Southern Weathered Gum, High Country Hardwood, Coastal Hardwood, Sun Bleached Hardwood, Hidden Valley		

## PERFORMANCE

Flammability:	(EN ISO 9239) CRF 11.0kW/m <sup>2</sup>
Colourfast to light:	(EN ISO 105-B02) ≥6
Light Reflectance:	180 - 9.30   305 - 20.51   350 - 10.81   505 - 16.33   510 - 36.78   535 - 15.19   540 - 24.11   559 - 9.73   570 - 19.39   710 - 28.83   730 - 24.20   750 - 18.52
Smoke Value:	(EN ISO 9239) 121% minutes
Dimensional Stability:	(ISO 23999) Length: 0.0, Width: 0.05, Curling: 0.0
Abrasion Rating:	(EN 660-2) Group P
Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Slip Resistance:	(AS 4586) P3

## SUSTAINABILITY

Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.



Micro Bevel Edge



Matte Finish



Codemark Certified For Metropol Hybrid Flooring



ISO 9001 Quality Management System



ISO 14001 Environment Management System



Trigon Core Technology



General Enquiries: 1300 300 821  
ghcommercial.com

# Metropol 1200



Affordable



Celebrating Australian Species



Waterproof Surface



Waterproof Core



Codemark Certified Waterproof




ECS Level 2


# Metropol 1200




180  
Mountain Hardwood



305  
Natural Hardwood



350  
Golden Oak



505  
Southern Oak




510  
Sand Oak




535  
Northern Weathered  
Gum



540  
Summer Blackbutt



559  
Southern Weathered  
Gum



570  
High Country  
Hardwood



710  
Coastal Hardwood



730  
Sun Bleached  
Hardwood



750  
Hidden Valley

# Metropol 1200



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst hybrid floors products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Hybrid Flooring Installation Instructions.

\*Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.

^ Subject to proper installation, maintenance and local building code/regulatory approval.