

TECHNICAL SPECIFICATIONS

Country of Origin:	Australia	Colours:	7 Standard
Yarn:	100% Soft Solution Dyed Nylon	Surface Texture:	Cut Pile Twist
Gauge:	39.4/10cm (1/10th Gauge)	Total Product Thickness:	10.5 (+/- 1.0)mm
Pile Height:	8.5 (+/- 1.0)mm	Pile Weight:	1220.00g/m ² (36oz)
Backing:	EnduraBac®	Installation Method:	Conventionally Laid
Type:	Residential Broadloom	Roll Width:	3.66
Pattern Repeat:	Not Applicable		

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	CRF 4.5kW/m ² (Conventionally Laid)~
Light Reflectance:	Available on Request
Stain Resistance:	Stain Block®
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star
Contract Guarantee:	5 Year Contract Guarantee Available on Request*
Smoke Value:	273% minutes (Conventionally Laid)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Environmental Product Declaration:	v
Green Star:	Environmental Certification Scheme (ECS). Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #16069
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.



Australian Made



PVC Free



Residential Extra Heavy Duty & Stairs - 6 Star



Contract Medium Duty - 2 Star



Green Building Council



ISO 9001 Quality Management System



ISO 14001 Environment Management System



AS 4801



Cut Pile Twist



Affordable



Declare



Declare® Red List Free

Modern Living



ECS Level 4+

Modern Living



185
Cinnamon



510
Alabaster



550
Hazlewood



715
Platinum



730
Sidewalk



760
Shadow



780
Truffle

Modern Living



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Installation Instructions. ~Test results and certificates are available on request. *This guarantee is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee, please contact your GH Commercial Account Manager or our Head Office.