Modern Rock

TECHNICAL SPECIFICATIONS

Country of Origin:	China
Yarn:	80% Wool / 20% Nylon
Total Product Thickness:	10 (+/- 1.0)mm
Pile Weight:	1290.00 g/m² (38 oz)
Installation Method:	Dual Bond Recommended
Type:	Woven Carpet
Pattern Repeat:	Width: 365.76cm Length: 320.04cm (Self Match)

Colours:	13 Standard
Surface Texture:	Patterned Cut Pile
Pile Height:	7 (+/- 1.0)mm
Backing:	Polypropylene Weft
Notes:	Available in 4 qualities - 34oz, 38oz 42oz and 48oz. Fast Track® minimum order quantity applies = 27lm (100m2)
Roll Width:	3.66m
Pitch & Beat Up:	Pitch: 27.6/10 (7/inch) Beat Up: 31.5/10cm (8/inch)

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	CRF 4.5kW/m² (Dual Bond)#
Colourfast to light:	(ISO 105-B-02-1994) 5-6
Light Reflectance:	Available on Request
Stain Resistance:	Natural Wool Fibre Stain Resistance
Smoke Value:	750% minutes (Dual Bond)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Green Star:	Environmental Certification Scheme (ECS). Level 4 - Certificate
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.

PVC Free

Green Building Council

ISO 9001 Quality Management System

ISO 14001 Environment Management System

Wool Blend

Patterned Cut Pile

Premium

Modern Rock



WEB-2026-0422A



WEB-2026-0410A



WEB-2026-0411A



WEB-2026-0412A



WEB-2026-0413A



WEB-2026-0414A



WEB-2026-0415A



WEB-2026-0416A



WEB-2026-0417A



WEB-2026-0418A



WEB-2026-0419A



WEB-2026-0420A



WEB-2026-0421A

General Enquiries: 1300 300 821
ghcommercial.com

Modern Rock

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial Woven Carpets must be installed in accordance with the latest AS2455 and the GH Commercial Carpet Installation Instructions.
~Test results and certificates are available on request.
*This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the warranty please contact your GH Commercial Account Manager or our Head Office.