

Modern Texture



TECHNICAL SPECIFICATIONS

Country of Origin:	Australia	Colours:	8 Standard
Yarn:	100% Soft Solution Dyed Nylon	Surface Texture:	Textured Loop Pile
Gauge:	25.2/10cm (5/32nd Gauge)	Total Product Thickness:	9.5 (+/- 1.0)mm
Pile Height:	7.5 (+/- 1.0)mm	Pile Weight:	1290.00g/m ² (38oz)
Backing:	EnduraBac®	Installation Method:	Conventionally Laid
Type:	Residential Broadloom	Roll Width:	3.66
Pattern Repeat:	Not Applicable		

PERFORMANCE

Anti-Static:	(AATCC 134) $\leq 3.5KV$ at 21°C & 20% Relative Humidity
Flammability:	CRF 3.6kW/m ² (Conventionally Laid)~
Stain Resistance:	Stain Block®
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star
Contract Guarantee:	5 Year Contract Guarantee Available on Request*
Smoke Value:	180% minutes (Conventionally Laid)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #19124
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.



Australian Made



Declare® Red List Free



PVC Free



Residential Extra Heavy Duty & Stairs - 6 Star



Contract Medium Duty - 2 Star



ECS Level 4+



Green Building Council



ISO 9001 Quality Management System



AS 4801



Declare



Textured Loop Pile




Affordable


Modern Texture



510
Ivory



520
Bamboo



705
Light Smoke




710
Morning Fog




715
Claystone



720
Silver Drop



750
Zinc



785
Dark Granite

Modern Texture



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst carpets must be installed in accordance with the latest AS2455 and any relevant Godfrey Hirst Installation Instructions. ~Test results and certificates are available on request.

*This product comes with a manufacturer's guarantee for new carpet installed indoors in owner occupied premises, if properly installed and maintained. This guarantee is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this Guarantee. The amount recoverable under the guarantee decreases five years. For full information in respect to the scope and limitations of this guarantee, please refer to the full terms and conditions available from your retailer, by calling 1300 444 778, or by downloading from www.godfreyhirst.com.