Motion

TECHNICAL SPECIFICATIONS

Collection:	Choreography
Colours:	6 Standard
Surface Texture:	Patterned Textured Loop Pile
Total Product Thickness:	6.5 (+/- 1.0)mm
Pile Weight:	750 g/m² (22 oz)
Carpet Tiles & Planks Size:	250mm x 1000mm
Notes:	Each box contains significant colour variation.
Units Per Box:	18.00
Pattern Repeat:	Not Applicable
Country of Origin:	Australia
Yarn:	100% Nylon
Gauge:	47.2/10cm (1/12th Gauge)
Pile Height:	4 (+/- 1.0)mm
Backing:	Enviro Bac®
Installation Method:	Direct Stick
Type:	Carpet Tiles and Planks
m² per box:	4.5

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	CRF 6.8kW/m2 (Direct Stick)~
Colourfast to light:	(ISO 105-B-02-1994) 5-6
Light Reflectance:	Available on Request
Stain Resistance:	Stain Warden®
Biocontaminant Control:	Bioshield® Antimicrobial Control
ACCS Rating:	Contract Extra Heavy Duty - 4 Star
Contract Guarantee:	15 Years Available on Request*
Smoke Value:	295% minutes (Direct Stick)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS) Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #18136
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.

AVAILABILITY

Size Options:	500mm x 500mm carpet tile
Backing Options:	Enviro Bac Plus® cushion backing, Enviro Bac Lite® cushion backing
Other Options:	Patterned Cut Pile 17oz, Patterned Cut Pile 35oz, Cut & Loop Pile 23oz

Motion

Australian Made

Designer Jet Carpet Tiles & Planks on Enviro Bac and Enviro Bac Plus

PVC Free

BPA Free

Pthalate Free

Contract Extra Heavy Duty - 4 Star

Green Building Council

ISO 9001 Quality Management System

ISO 14001 Environment Management System

AS 4801

Designer Jet

Patterned Textured Loop Pile

Mid Range

Declare® Red List Free

ECS Level 4+

Designer Jet Carpet Tiles with Enviro Bac®


Motion




5700
Articulation




7300
Repetition



7500
Position



7800
Synchronisation



7806
Elevation



8400
Expression

Motion

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpet tiles and planks must be installed in accordance with AS2455 Parts 1 & 2 (latest version) and the GH Commercial Carpet Tile/Plank Installation Instructions.
Chair pads are recommended under office chairs with roller castors to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear.
Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.
~Test results and certificates are available on request.
*Guarantee is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee please contact your GH Commercial Account Manager or our Head Office.