

## TECHNICAL SPECIFICATIONS

Country of Origin:	New Zealand	Colours:	8 Standard
Yarn:	100% Wool	Surface Texture:	Needlepoint Patterned Loop Pile
Gauge:	62.9/10cm (1/16th Gauge)	Total Product Thickness:	8 (+/- 1.0)mm
Pile Height:	5 (+/- 1.0)mm	Pile Weight:	1360.00g/m <sup>2</sup> (40oz)
Backing:	Jute	Installation Method:	Direct Stick
Type:	Commercial Broadloom	Roll Width:	3.66
Pattern Repeat:	6cm (w) x 6cm (l)	Quickship AU:	Caldera

## PERFORMANCE

Anti-Static:	(AATCC 134) <math>\leq 3.5KV</math> at 21°C & 20% Relative Humidity
Flammability:	Meets the requirements of NCC Spec. C1.10 relating to fire hazard properties for flooring in Class 2-9 buildings (including health and aged care buildings)~
Colourfast to light:	(ISO 105-B-02-1994) 5-6
Light Reflectance:	Available on Request
Stain Resistance:	Natural Wool Fibre Stain Resistance
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Heavy Duty - 3 Star
Smoke Value:	80% minutes (Conventionally Laid)

## SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #22061
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.



Made in New Zealand



Declare



PVC Free



Residential Extra Heavy Duty & Stairs - 6 Star



Contract Heavy Duty - 3 Star



Green Building Council



ISO 9001 Quality Management System



ISO 14001 Environment Management System



Wool



Patterned Loop Pile



Mid Range



Declare® Red List Free

# Netcorp



ECS Level 4+



535  
Shoreline



720  
Veneer



740  
Siltstone



755  
Boulder




765  
Facade



780  
Magnetite



785  
Camouflage



794  
Caldera

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Carpet Installation Instructions.  
Chair pads are recommended under office chairs with roller castors to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.  
~Test results and certificates are available on request.

\*This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee please contact your GH Commercial Account Manager or our Head Office.