

# Optimise 70



## TECHNICAL SPECIFICATIONS

Country of Origin:	Belgium	Colours:	9 Standard
Total Product Thickness:	3.40mm	Installation Method:	Direct Stick
Notes:	Indent only full rolls - please allow 16 weeks	Type:	Vinyl Sheet Flooring
Wear Layer:	0.7mm	Protective Coating:	Hyperguard+ and Sanitec™
Roll Width:	2	Pattern Repeat:	Pattern repeat varies per SKU. Contact your local GH Commercial Account Manager.

## PERFORMANCE

Sound Reduction: EN ISO 717-2) □ Lw9 dB / Ln,w 54dB

## SUSTAINABILITY

Accreditation: Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.



ISO 9001 Quality Management System



ISO 14001 Environment Management System



Matte Finish



European Made

# Optimise 70



350  
Crystal T54  
LRV 55  
PR: W 100 x L 100cm  
PTS: All-over



380  
Ombra T65  
LRV 462  
PR: W 100 x L 100cm  
PTS: All-over




620  
Ombra T15  
LRV 18  
PR: W 100 x L 100cm  
PTS: All-over



710  
Pinnacles T83  
LRV 28  
PR: W 100 x L 100cm  
PTS: All-over




720  
Olympus T91  
LRV 33  
PR: W 100 x L 150cm  
PTS: W (4x25) x L150  
cm



780  
Pinnacles T98  
LRV 14  
PR: W 100 x L 100cm  
PTS: All-over



790  
Ombra T97  
LRV 16  
PR: W 100 x L 100cm  
PTS: All-over



810  
Crystal T77  
LRV 28  
PR: W 100 x L 100cm  
PTS: All-over



910  
Ombra T20  
LRV 37  
PR: W 100 x L 100cm  
PTS: All-over

# Optimise 70



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

#### Manufacturing Standards:

All specifications and colours are subject to manufacturing tolerances and may be changed or discontinued without notice. Product images are for reference only; actual colours may vary from samples due to printing variations, batch differences, and lighting conditions. All variations are within industry standards.

#### Natural Product Characteristics:

Hard flooring products may display natural variations in colour, grain, texture, and pattern between batches and individual planks or tiles. These variations are inherent characteristics of the product and do not constitute a manufacturing defect.

#### Water Resistant/Waterproof Flooring:

Water resistance and waterproof performance are subject to proper installation, ongoing maintenance, and compliance with local building codes and regulatory requirements.

#### Installation:

All hard flooring must be installed by a qualified professional in accordance with NZS AS 1884:2013, relevant referenced standards for moisture testing and subfloor preparation (e.g. AS/NZS 1080 where applicable), recognised industry best practice, and the applicable Godfrey Hirst installation instructions. Proper subfloor preparation, moisture management, and acclimatisation are essential to ensure product performance and longevity.

#### Maintenance:

Maintenance requirements vary by product type. Refer to the specific care and maintenance guidelines for your flooring product to ensure optimal performance and longevity.

#### Product-Specific Notes:

**Timber:** Nested/random lengths may occur. As this is a natural product, some boxes may include one 'nested' board (i.e. two boards comprising the quoted board length). All boxes will provide the coverage quoted.

**Vinyl Sheet:** Each colour has a specific pattern repeat and laying direction—refer to the Product Specification Sheet for details. Pay particular attention to the directional arrow to determine if the design should be installed in a standard or reverse direction. LRV indicates Light Reflectance Value, PR is Pattern Repeat, and PTS denotes Plank/Tile Size.

#### Warranty:

All Godfrey Hirst floors carry a comprehensive warranty supported by New Zealand after-sales service. As a New Zealand manufacturer, we recognise all consumer rights under the Consumer Guarantees Act 1993 and match any equivalent performance guarantee offered in the marketplace at the time of purchase. Commercial warranties are issued project-by-project with specific terms and conditions.

For detailed warranty information, installation guidelines, care instructions, and product characteristics, visit [www.godfreyhirst.com](http://www.godfreyhirst.com) or call 0800 500 210. For commercial project-specific warranty enquiries, contact your GH Commercial Account Manager. Test results and certificates available on request.