

TECHNICAL SPECIFICATIONS

Country of Origin:	China	Colours:	14 Standard
Total Product Thickness:	14mm	Backing:	Ply
Installation Method:	Insta Clic®	Notes:	As this is a natural product, some boxes may include 'nested' boards (i.e. two boards comprising of the quoted board length). All boxes will provide the coverage quoted.
Type:	Timber Flooring	Wear Layer:	3mm
Units Per Box:	6-8 boards equivalent (Nested/Random lengths may occur)	Finish:	See table
Surface:	Australian Species Timber Veneer	Profile:	Micro Bevel Edge
Substrate Layer:	Multiply	Protective Coating:	UV Cured Lacquer
Quickship AU:	Satin, 170x2100mm, Satin, 170x1820mm, Satin, 136x2100mm, Satin, 136x1820mm, Brushed, 180x2100mm, Brushed, 180x1820mm, Brushed, 130x2100mm, Brushed, 130x1820mm, Satin, 136x2100mm, Satin, 136x1820mm, Brushed, 180x2100mm, Brushed, 180x1820mm, Brushed, 130x2100mm, Brushed, 130x1820mm	Quickship WA:	Satin, 170x2100mm, Satin, 170x1820mm, Satin, 136x2100mm, Satin, 136x1820mm, Brushed, 180x2100mm, Brushed, 180x1820mm, Brushed, 130x2100mm, Brushed, 130x1820mm, Satin, 136x2100mm, Satin, 136x1820mm, Brushed, 180x2100mm, Brushed, 180x1820mm, Brushed, 130x2100mm, Brushed, 130x1820mm

PERFORMANCE

Flammability:	(EN ISO 9239) CRF 3.2kW/m ²
Contract Guarantee:	Available on request*
Smoke Value:	(EN ISO 9239) 74% minutes
Abrasion Rating:	(ASTM D 4060-CS 17) >=500r
Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Slip Resistance:	Satin (AS 4586 - 2013) P2, Brushed (AS 4586 - 2013) P3
Recommended Adhesive:	Refer to our GH Commercial Adhesive Guide www.ghcommercial.com
Moisture Content:	(EN 131831-1) 8-10%
Lipping:	(EN13489) ≤0.2mm

SUSTAINABILITY

Indoor Air Quality:	Green Building Council compliant for VOC emission rate limits
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.

Pioneer



Real Timber Surface



Natural Variation



Micro Bevel Edge



Green Building Council



ISO 14001 Environment Management System



ISO 9001 Quality Management System



Premium




Celebrating Australian Species


Pioneer




515 Tassie Oak
Satin, 170x2100mm



515 Tassie Oak
Satin, 170x1820mm



545 Blackbutt
Satin, 136x2100mm



545 Blackbutt
Satin, 136x1820mm



545 Blackbutt
Brushed,
180x2100mm




545 Blackbutt
Brushed,
180x1820mm




545 Blackbutt
Brushed,
130x2100mm



545 Blackbutt
Brushed,
130x1820mm



555 Spotted Gum
Satin, 136x2100mm



555 Spotted Gum
Satin, 136x1820mm




555 Spotted Gum.
Brushed,
180x2100mm



555 Spotted Gum.
Brushed,
180x1820mm



555 Spotted Gum.
Brushed,
130x2100mm



555 Spotted Gum.
Brushed,
130x1820mm

Pioneer



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst engineered timber floors must be installed in accordance with the relevant Australian Standards and in conjunction with the Godfrey Hirst Timber Floors Installation Instructions.

*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.

□ Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.

^ Nested/Random lengths may occur. As this is a natural products, some boxes may include one 'nested' board (i.e. two boards comprising of the quoted board length). All boxes will provide the coverage quoted.