# Pyrenees

## TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Country of Origin: | Australia |
| Yarn: | 100% Solution Dyed Nylon |
| Gauge: | 10.5/10cm (3/8th Gauge) |
| Pile Height: | 9 (+/- 1.0)mm |
| Backing: | EnduraBac® |
| Type: | Residential Broadloom |
| Pattern Repeat: | Not Applicable |

| | |
|---|---|
| Colours: | 5 Standard |
| Surface Texture: | Textured Loop Pile |
| Total Product Thickness: | 11 (+/- 1.0)mm |
| Pile Weight: | 1695.00 g/m² (50 oz) |
| Installation Method: | Conventionally Laid |
| Roll Width: | 3.66m |

## PERFORMANCE

| | |
|---|---|
| Anti-Static: | (AATCC 134) <3.5KV at 21°C & 20% Relative Humidity |
| Flammability: | Meets the requirements of NCC Spec. C1.10 relating to fire hazard properties for flooring in Class 2-9 building (sprinklered only)~ |
| Light Reflectance: | Available on Request |
| ACCS Rating: | Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star |
| Contract Guarantee: | 5 Year Contract Guarantee Available on Request* |

## SUSTAINABILITY

| | |
|---|---|
| PVC Minimisation: | PVC Free |
| Indoor Air Quality: | Green Building Council Compliant for VOC emission rate limits |
| Green Star: | Environmental Certification Scheme (ECS) Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #22259 |
| Accreditation: | Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies. |

Residential Extra Heavy Duty & Stairs - 6 Star

ISO 9001 Quality Management System

ISO 14001 Environment Management System

Contract Medium Duty - 2 Star

Australian Made

Mid Range

Declare® Red List Free

Textured Loop Pile

ECS Level 4+


# Pyrenees




500
Iberian




530
Aragon



730
Cantabrian



740
Basques



770
Catalans

# Pyrenees

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Installation Instructions. ~Test results and certificates are available on request. *This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the warranty, please contact your GH Commercial Account Manager or our Head Office.