

Rocky Point



TECHNICAL SPECIFICATIONS

| | | | |
|--------------------|-------------------------------|--------------------------|--------------------------------|
| Country of Origin: | Australia | Colours: | 6 Standard |
| Yarn: | 100% Soft Solution Dyed Nylon | Surface Texture: | Level Loop Pile |
| Gauge: | 15.7/10cm (1/4th Gauge) | Total Product Thickness: | 8.5 (+/- 1.0)mm |
| Pile Height: | 6.5 (+/- 1.0)mm | Pile Weight: | 1017.00g/m ² (30oz) |
| Backing: | EnduraBac® | Installation Method: | Conventionally Laid |
| Type: | Residential Broadloom | Roll Width: | 3.66 |
| Pattern Repeat: | Not Applicable | | |

PERFORMANCE

| | |
|-------------------|---|
| Anti-Static: | (AATCC 134) $\leq 3.5KV$ at 21°C & 20% Relative Humidity |
| Stain Resistance: | Stain Block® |
| ACCS Rating: | Residential Extra Heavy Duty & Stairs - 5 Star, Contract Medium Duty - 2 Star |

SUSTAINABILITY

| | |
|-----------------------|---|
| PVC Minimisation: | PVC Free |
| Indoor Air Quality: | Green Building Council compliant for VOC emission rate limits |
| Product Transparency: | Declare Red List Free |
| Green Star: | Environmental Certification Scheme (ECS). Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #17091 |
| Accreditation: | Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies. |



Australian Made



PVC Free



Residential Extra Heavy Duty & Stairs - 5 Star



Contract Medium Duty - 2 Star



Green Building Council



ISO 9001 Quality Management System



ISO 14001 Environment Management System




AS 4801



Level Loop Pile



Declare



Affordable



Declare® Red List Free




ECS Level 4+


Rocky Point




520
Sandstone



705
Limestone



710
Stonecrop



715
Mesa



730
Granite



750
Peninsula

Rocky Point



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst carpets must be installed in accordance with the latest AS2455 and any relevant Godfrey Hirst Installation Instructions. ~Test results and certificates are available on request.

*This product comes with a manufacturer's guarantee for new carpet installed indoors in owner occupied premises, if properly installed and maintained. This guarantee is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this Guarantee. The amount recoverable under the guarantee decreases five years. For full information in respect to the scope and limitations of this guarantee, please refer to the full terms and conditions available from your retailer, by calling 1300 444 778, or by downloading from www.godfreyhirst.com.