

TECHNICAL SPECIFICATIONS

Country of Origin:	Australia	Colours:	7 Standard
Yarn:	Wool	Surface Texture:	Textured Loop Pile
Gauge:	10.5/10cm (3/8th Gauge)	Total Product Thickness:	12.5 (+/- 1)mm
Pile Height:	9.5 (+/- 1)mm	Pile Weight:	1865.00g/m ² (55oz)
Backing:	Woven Polypropylene	Installation Method:	Conventionally Laid
Type:	Residential Broadloom	Roll Width:	3.66
Secondary Backing:	6oz Jute	Pattern Repeat:	Not Applicable

PERFORMANCE

Anti-Static:	(AATCC 134) $\leq 3.5KV$ at 21°C & 20% Relative Humidity
Flammability:	CRF 2.2Kw/m ² (Conventionally Laid)~
Light Reflectance:	Available on Request
Stain Resistance:	Natural Wool Fibre Stain Resistance
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star
Smoke Value:	750% minutes (Conventionally Laid)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #17041
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.



Australian Made



Declare



PVC Free



Residential Extra Heavy Duty & Stairs - 6 Star



Contract Medium Duty - 2 Star



Green Building Council



ISO 9001 Quality Management System



ISO 14001 Environment Management System



AS 4801



Wool



Premium



Declare® Red List Free

Salisbury



Textured Loop Pile



ECS Level 4+

Salisbury




9
Ancient



10
Sarsen Stone



11
Druid Stone



90
Palisade



92
Solstice



96
Earth Bank



97
Monument

Salisbury



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Installation Instructions. ~Test results and certificates are available on request. *This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the warranty, please contact your GH Commercial Account Manager or our Head Office.