Silk Indulgence

TECHNICAL SPECIFICATIONS

Country of Origin:	Australia
Yarn:	100% Soft Solution Dyed Nylon
Gauge:	39.4/10cm (1/10th Gauge)
Pile Height:	12 (+/- 1.0)mm
Backing:	EnduraBac®
Type:	Residential Broadloom
Pattern Repeat:	Not Applicable

Colours:	12 Standard
Surface Texture:	Cut Pile Twist
Total Product Thickness:	14 (+/- 1.0)mm
Pile Weight:	2035.00 g/m² (60 oz)
Installation Method:	Conventionally Laid
Roll Width:	3.66m

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Stain Resistance:	Stain Block®
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star
Contract Guarantee:	5 Year Contract Guarantee Available on Request*

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #14184
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.

Australian Made

ISO 9001 Quality Management System

ISO 14001 Environment Management System

AS 4801

Residential Extra Heavy Duty & Stairs - 6 Star

Contract Medium Duty - 2 Star

Green Building Council

Cut Pile Twist

Premium

Declare

Declare® Red List Free

ECS Level 4+

Silk Indulgence

COMMERCIAL



185
Brown Earth



195
Canyon Stipple



500
Porcelain



510
Sand Drift



520
Natural Stone



550
Tropical Tan




590
Bracken Stipple




715
Silver Moon



730
Mortar Grey



750
Lead



760
Gunmetal



795
Black Forest

Godfrey Hirst

General Enquiries: 1300 300 821
ghcommercial.com

Silk Indulgence

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Installation Instructions. ~Test results and certificates are available on request. *This guarantee is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee, please contact your GH Commercial Account Manager or our Head Office.