# Space For All

## TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Collection: | Social Canvas |
| Colours: | 8 Standard |
| Surface Texture: | Patterned Textured Loop Pile |
| Total Product Thickness: | 6.5 (+/- 1.0)mm |
| Pile Weight: | 848.00 g/m² (25 oz) |
| Carpet Tiles & Planks Size: | 304.8mm x 914.4mm |
| Type: | Carpet Tiles and Planks |
| m² per box: | 3.902 |
| Pattern Repeat: | Not Applicable |

| | |
|---|---|
| Country of Origin: | Australia |
| Yarn: | Duracolor® Solution Dyed Nylon |
| Gauge: | 47/10cm (1/12th Gauge) |
| Pile Height: | 4 (+/- 1.0)mm |
| Backing: | Enviro Bac® |
| Installation Method: | Half-Lap, Plank Half-Lap, Brick Ashlar, Random, Herringbone, Basket Weave |
| Units Per Box: | 14 |
| m² per pallet: | 105.35 |

## PERFORMANCE

| | |
|---|---|
| Anti-Static: | (AATCC 134) <3.5KV at 21°C & 20% Relative Humidity |
| Flammability: | Meets the requirements of NCC Spec. C1.10 relating to fire hazard properties for flooring in Class 2-9 buildings~ |
| Colourfast to light: | (ISO 105-B-02-1994) 6-7 |
| Light Reflectance: | Available on Request |
| Stain Resistance: | Duracolor® Tricor - Permanent, Built into fibre |
| Contract Guarantee: | 15 Years Available on Request* |
| Recommended Adhesive: | Refer to our GH Commercial Adhesive Guide www.ghcommercial.com |

## SUSTAINABILITY

| | |
|---|---|
| PVC Minimisation: | PVC Free |
| Indoor Air Quality: | Green Building Council Compliant for VOC emission rate limits |
| Product Transparency: | Declare Red List Free |
| Green Star: | Environmental Certification Scheme (ECS) Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #23356 |
| Accreditation: | Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies. |

## AVAILABILITY

| | |
|---|---|
| Backing Options: | Enviro Bac Plus® cushion backing, Enviro Bac Lite® cushion backing |

Australian Made

SDN Carpet Tiles and Planks on Enviro Bac and Enviro Bac Plus

ISO 9001 Quality Management System

ISO 45001 OHS Management System

ISO 14001 Environment Management System

PVC Free

# Space For All

Green Building Council

Duracolor® TriCor SDN

Patterned Textured Loop Pile

Premium

Declare® Red List Free

ECS Level 4+

Pattern Perfect Carpet Tile with Enviro Bac®

# Space For All



535
Flow State



729
True Self



829
Journal




935
Creative Soul



936
Fresh Paint



937
Gallery



938
Portrait



989
Portfolio

# Space For All

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpet tiles and planks must be installed in accordance with AS2455 Parts 1 & 2 (latest version) and the GH Commercial Carpet Tile/Plank Installation Instructions.
Chair pads are recommended under office chairs with roller castors to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear.
Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.
~Test results and certificates are available on request.
*Guarantee is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee please contact your GH Commercial Account Manager or our Head Office.