Stonefields

TECHNICAL SPECIFICATIONS

Country of Origin:	New Zealand
Yarn:	Wool
Gauge:	12.6/10cm (5/16th Gauge)
Pile Height:	8.5 (+/- 1)mm
Backing:	Jute
Type:	Residential Broadloom
Pattern Repeat:	Not Applicable

Colours:	9 Standard
Surface Texture:	Textured Loop Pile
Total Product Thickness:	11.5 (+/- 1)mm
Pile Weight:	1357.00 g/m² (40 oz)
Installation Method:	Conventionally Laid
Roll Width:	3.66m

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	CRF 2.2Kw/m2 (Conventionally Laid)~
Light Reflectance:	Available on Request
Stain Resistance:	Natural Wool Fibre Stain Resistance
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 5 Star, Contract Medium Duty - 2 Star
Contract Warranty:	5 Year Contract Guarantee Available on Request*
Smoke Value:	750% minutes (Conventionally Laid)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #14178
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.

Made in New Zealand

Declare

PVC Free

Residential Extra Heavy Duty & Stairs - 5 Star

Contract Medium Duty - 2 Star

Green Building Council

ISO 9001 Quality Management System

ISO 14001 Environment Management System

Wool

Mid Range

Declare® Red List Free

Textured Loop Pile

Stonefields



ECS Level 4+

Feltex

General Enquiries: 1300 300 821
ghcommercial.com

Stonefields



1
Cotswold Stone



10
Limestone




11
Quartz



16
Feldspar



90
Stonework



91
Greystone



92
Terrazzo



911
Pumice



912
Gypsum

Stonefields

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Installation Instructions. ~Test results and certificates are available on request. *This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the warranty, please contact your GH Commercial Account Manager or our Head Office.