Supreme Touch

TECHNICAL SPECIFICATIONS

Country of Origin:	Australia
Yarn:	100% Soft Solution Dyed Nylon
Gauge:	39.4/10cm (1/10th Gauge)
Pile Height:	10.5 (+/- 1.0)mm
Backing:	EnduraBac®
Type:	Residential Broadloom
Pattern Repeat:	Not Applicable

Colours:	14 Standard
Surface Texture:	Cut Pile Twist
Total Product Thickness:	12.5 (+/- 1.0)mm
Pile Weight:	1425.00 g/m² (42 oz)
Installation Method:	Conventionally Laid
Roll Width:	3.66m

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	CRF 5.5kW/m2 (Conventionally Laid)~
Stain Resistance:	Stain Block®
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star
Contract Guarantee:	5 Year Contract Guarantee Available on Request*
Smoke Value:	234% minutes (Conventionally Laid)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council compliant for VOC emission rate limits
Product Transparency:	Declare Red List Free
Green Star:	Environmental Certification Scheme (ECS). Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #14235
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.

Australian Made

Declare® Red List Free

PVC Free

Residential Extra Heavy Duty & Stairs - 6 Star

Contract Medium Duty - 2 Star

ECS Level 4+

Green Building Council

ISO 9001 Quality Management System

ISO 14001 Environment Management System

AS 4801

Declare

Cut Pile Twist

Supreme Touch



Affordable

General Enquiries: 1300 300 821
ghcommercial.com

Supreme Touch

COMMERCIAL



182
Mushroom Stipple



185
Chestnut



195
Boulder Stipple




507
Fawn



510
Sand Dune



520
Quartz




550
Stoneware



700
Fog



710
Abalone




715
Silverado



730
Concrete



750
Beacon



760
Winter Grey



780
Dark Mood

Supreme Touch

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst carpets must be installed in accordance with the latest AS2455 and any relevant Godfrey Hirst Installation Instructions. ~Test results and certificates are available on request.
*This product comes with a manufacturer's guarantee for new carpet installed indoors in owner occupied premises, if properly installed and maintained. This guarantee is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this Guarantee. The amount recoverable under the guarantee decreases five years. For full information in respect to the scope and limitations of this guarantee, please refer to the full terms and conditions available from your retailer, by calling 1300 444 778, or by downloading from www.godfreyhirst.com.