Venue Collection

TECHNICAL SPECIFICATIONS

Country of Origin:	China
Yarn:	80% Wool / 20% Nylon
Total Product Thickness:	10 (+/- 1.0)mm
Pile Weight:	1290 g/m² (38 oz)
Installation Method:	Dual Bond Recommended
Roll Width:	3.66m
Pattern Repeat:	Self Match - see colour specifications
Quickship AU:	Weathered Stone, Urban Rhythm, Carbon Plaid, Oasis Botanical, Patina, Strata Drift, Pacific Plaid, Pacific Damask, Fractured Canopy, Tidepool, Ember Circuit, Sahara Lines

Colours:	12 Standard
Surface Texture:	Patterned Cut Pile
Pile Height:	7 (+/- 1.0)mm
Backing:	Polypropylene Weft
Type:	Woven Carpet
Secondary Backing:	6oz Jute
Pitch & Beat Up:	Pitch: 27.6/10 (7/inch) Beat Up: 31.5/10cm (8/inch)

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	Meets the requirements of NCC Spec C1.10 relating to fire hazard properties for flooring in Class 2-9 buildings. Meets the requirements of the New Zealand Building Code Section C3 - Fire Affecting Areas Beyond The Fire Source.
Colourfast to light:	(ISO 105-B-02-1994) 5-6
Light Reflectance:	Available on Request
Stain Resistance:	Natural Wool Fibre Stain Resistance
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Heavy Duty - 3 Star
Contract Warranty:	7 Year Contract Guarantee Available on Request*
Recommended Adhesive:	Refer to the GH Commercial Adhesive Guide

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council compliant for VOC emission rate limits
Green Star:	Environmental Certification Scheme (ECS). Level 4- Certificate #19158
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.

Wool Blend

Premium

Patterned Cut Pile

PVC Free

ECS Level 4

ISO 9001 Quality Management System

Venue Collection

ISO 14001 Environment Management System

Green Building Council

Residential Extra Heavy Duty & Stairs - 6 Star

Contract Heavy Duty - 3 Star


Venue Collection



11
Sahara Lines



21
Ember Circuit



30
Tidepool




31
Fractured Canopy



32
Pacific Damask



34
Pacific Plaid



41
Strata Drift




42
Patina



71
Oasis Botanical



91
Carbon Plaid



92
Urban Rhythm



93
Weathered Stone

Feltex

General Enquiries: 1300 300 821
ghcommercial.com

Venue Collection

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Carpet Installation Instructions.
Chair pads are recommended under office chairs with roller castors to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear.
Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.
~Test results and certificates are available on request.
*This warranty is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee please contact your GH Commercial Account Manager or our Head Office.