

# Vista 1500



## TECHNICAL SPECIFICATIONS

Country of Origin:	China	Colours:	10 Standard
Total Product Thickness:	8mm	Backing:	Balancing Layer
Size:	196mm x 1500mm	Installation Method:	Uniclic®
Type:	Laminate Flooring	Units Per Box:	6 boards
m <sup>2</sup> per box:	1.764	m <sup>2</sup> per pallet:	105.84
Finish:	Matte	Surface:	Embossed
Profile:	Micro Bevel	Substrate Layer:	860kg/m <sup>3</sup> High Density Fibreboard
Quickship AU:	Heritage, Natural, Sand, Flax, Blackbutt, Spotted Gum, Smoke, Mallee Gum		

## PERFORMANCE

Flammability:	(EN ISO 9239) CRF 4.8kW/m <sup>2</sup>
Colourfast to light:	(EN ISO 105-B02, A02) 4-5 Grey Scale
Smoke Value:	(EN ISO 9239) 49% minutes
Abrasion Rating:	(EN 13329) AC4
Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Slip Resistance:	(AS 4586) P1
Swelling after submersion in water:	(ISO 24336) ≤13.7%

## SUSTAINABILITY

Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.



Green Building Council



ISO 9001 Quality Management System



ISO 14001 Environment Management System



Micro Bevel Edge



Embossed in Register



Matte Finish




Mid Range




Celebrating Australian Species


# Vista 1500




180  
Heritage



300  
Natural



500  
Sand



520  
Flax




525  
Alpine Blackbutt




545  
Blackbutt



555  
Spotted Gum



575  
Smoke



585  
Mallee Gum



720  
Cool Grey

# Vista 1500



Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All Godfrey Hirst laminate products must be installed in accordance with the relevant Australian Standards and in conjunction with the Godfrey Hirst Laminate Installation Instructions.

\*Terms and conditions apply to all commercial warranties - please contact your GH Commercial Account Manager.