Yarra Glen

TECHNICAL SPECIFICATIONS

Country of Origin:	Australia
Yarn:	100% Solution Dyed Nylon
Gauge:	25.2/10cm (5/32nd Gauge)
Pile Height:	6.5 (+/- 1.0)mm
Backing:	EnduraBac®
Type:	Residential Broadloom
Pattern Repeat:	1.6cm (w) x 3.0cm (l)

Colours:	8 Standard
Surface Texture:	Textured Loop Pile
Total Product Thickness:	8.5 (+/- 1.0)mm
Pile Weight:	1085.00 g/m² (32 oz)
Installation Method:	Conventionally Laid
Roll Width:	3.66m

PERFORMANCE

Anti-Static:	(AATCC 134) <3.5KV at 21°C & 20% Relative Humidity
Flammability:	CRF 3.2kW/m² (Conventionally Laid)~
Light Reflectance:	Available on Request
Stain Resistance:	Stain Block®
ACCS Rating:	Residential Extra Heavy Duty & Stairs - 6 Star, Contract Medium Duty - 2 Star
Contract Warranty:	5 Year Contract Guarantee Available on Request*
Smoke Value:	241% minutes (Conventional Installation)

SUSTAINABILITY

PVC Minimisation:	PVC Free
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits
Green Star:	Environmental Certification Scheme (ECS) Level 4+. Achieves 12+ Points meeting Best Practice Requirements - Certificate #21153
Accreditation:	Manufactured under a quality, environmental and health and safety system certified and complying with ISO 9001, ISO 14001 and ISO 45001 by accredited certification bodies.

Australian Made

ISO 9001 Quality Management System

ISO 14001 Environment Management System

AS 4801

Residential Extra Heavy Duty & Stairs - 6 Star

Contract Medium Duty - 2 Star

Green Building Council

Affordable

Textured Loop Pile

ECS Level 4+

Feltex

General Enquiries: 1300 300 821
ghcommercial.com

Yarra Glen



9
Gulf Station



12
Alowyn Gardens



16
Linden Gate




91
Yileena Park




93
Yarra Flats



95
Yering Run



97
Hargreaves Hill



98
Tarra Warra

Yarra Glen

Specifications and colourations are subject to manufacturing tolerances. As part of the GH Commercial continuous improvement program, GH Commercial reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

All GH Commercial carpets must be installed in accordance with the latest AS2455 and any relevant GH Commercial Installation Instructions. ~Test results and certificates are available on request. *This guarantee is in addition to any rights consumers may have under Australian consumer laws. Terms and conditions apply - for full information in respect to the scope of the guarantee, please contact your GH Commercial Account Manager or our Head Office.